FABORY



Stud metal end ≈ 1,25d **DIN 939 Stainless steel A4** M16X30

Article number	55270.160.030
Brand	-
UBB	951351233212
UNSPSC	31161610
EAN	8715492339911
PKG. of 50	Full Box Only

Technical Parameters

Diameter M16 30 mm Length Stainless steel Material

Material technical Α4

Thread direction Right

Thread Metric thread

Info ATTENTION: when

ordering studs

according to this DIN standard the proper designation is d x L,e.g. stud M10X70 - DIN 938, where the working length L = 70 mm and the thread length on the metal end bm = 12 mm. The overall length of the stud is 70 + 12 = 82 mm. The thread length on the nut end b= 26 mm.The thread tolerance class on the metal end is Sk6 according to DIN 13-51, meaning "transition fit", which prevents loosening

of the metal end

Standards

DIN 939 NF E25-135 of the studs during disassembly.In case this transition fit is not wanted, add "Fo" in the designation. These studs have thread tolerance class 6g on both ends and can be supplied as specials.Studs according to DIN 939 with a metal end ≈1,25d have many applications, but are mainly intended for use in cast iron counterparts.

Technical Specification

b:L≤125mm	38
b:125mmL≤200mm	44
bm ≈ 1,25d	20
b =L-(x+3) up to L≤	45
d-D	M16
L (mm)	30
P	2
X	5

Technical Drawing

