FABORY



M16

Stud metal end ≈ 1d DIN 938 Stainless steel A4 M16X75

Article number	55280.160.075
Brand	-
UBB	500512327478
UNSPSC	31161610
EAN	8715494301114
PKG. of 50	Full Box Only

Technical Parameters

Diameter

Standards

Biamotor	
Length	75 mm
Material	Stainless steel
Material technical	A4
Thread direction	Right
Thread	Metric thread
Info	ATTENTION: when ordering studs according to this DIN standard the proper designation is d x L,e.g. stud M10X70 - DIN 938, where the working length L = 70 mm and the thread length on the metal end bm = 10 mm. The overall length of the stud is 70 + 10 = 80 mm. The thread length on the nut end b= 26 mm. The thread tolerance class on the metal end is Sk6 according to DIN 13-51, meaning "transition fit", which prevents loosening of the metal end of the studs during disassembly.In

NF E25-135 DIN 938 case this transition fit is not wanted, add "Fo" in the designation. These studs have thread tolerance class 6g on both ends and can be supplied as specials.Studs according to DIN 938 with a metal end ≈1d have many applications, but are mainly intended for use in steel counterparts.

Technical Specification

b	38
bm≈1d	16
b =L-(x+3) up to L \leq	45
d-D	M16
L (mm)	75
Р	2
Χ	5

Technical Drawing

