



Bosch Rotary hammer GBH 3-28 DFR

Article No.	B4350.000.080
Brand	-
UBB	500512003228
UNSPSC	27111602
EAN	3165140471176
PKG. of 1	Full Box Only

Technical Parameters

Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drilling range (mm)	4-28
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus
Drive size	SDS plus

Standards

vibration level when drilling (m/s²) 13



vibration level when drilling (m/s²) 13

vibration level when drilling (m/s²) 13

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Vibration level when chiseling (m/s²) 9.5

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Wattage 800 Watt

Width (mm) 480

Width (mm) 480

Width (mm) 480

UR COURSE
Width (mm) 480

Width (mm) 480

Width (mm) 480

Width (mm) 480

Width (mm) 480

Width (mm) 480

Width (mm) 480

Width (mm) 480

Width (mm) 480

SEE THE STANDARD
IN FASTENING SOLUTIONS